Food Establishment Inspection Report

Establishment Name: PLAIN & SIMPLE CATE	RING	AND) EV	ENT				_E	st	ablishment ID:	3034020925					
Location Address: 106 SHORT STREET																
City: KERNERSVILLE State: North Ca	arolina						D,	ato	. 03	3/23/2024	Status Code: A					
Zip: 27284 County: 34 Forsyth										:9:10 AM		4				
Permittee: PLAIN & SIMPLE CATERING AND E	VENT	PLA	NNI	NG L	ЦC							VI				
Telephone: (336) 989-6814										ry#: <u> </u>						
Ø Inspection ○ Re-Inspection ○	Educa	ationa	al Vis	sit			F	DA	Es	stablishment Type:						
Wastewater System:																
Municipal/Community On-Site System	n						No	0. 0	of F	Risk Factor/Interve	ention Violations: 0			_		
Water Supply:	-						No	o. c	of R	Repeat Risk Factor/	Intervention Violations:	0				
Municipal/Community ○ On-Site Supply	,															
													_	_		
Foodborne Illness Risk Factors and Public Health I	nterve	ention	IS								Retail Practices					
Risk factors: Contributing factors that increase the chance of developing fo						Go	ood l	Reta	ail Pr		asures to control the addition of p	atho	gens	, ch	emica	ls,
Public Health Interventions: Control measures to prevent foodborne illness	1.	-									ical objects into foods.	_				
Compliance Status	OUT	CDI	R	VR	С	on	npli	ian	ice	Status			OUT	ſ	CDI	RVR
Supervision .2652							Food		d Wa		.2653, .2655, .2658					
1 X OUT N/A PIC Present, demonstrates knowledge, & performs duties	1	0					OUT OUT			Pasteurized eggs us Water and ice from a		1	0.5			
2 Out N/A Certified Food Protection Manager	1	0									or specialized processing	2	-	0		
Employee Health .2652					32	IN	оит	N X A		methods	s opeoidilized processing	2	1	0		
3 Xour Management, food & conditional employee; knowledge, responsibilities & reporting	2 1	0			F	ood	Tem	nper	atur	re Control	.2653, .2654					
4 X OUT Proper use of reporting, restriction & exclusion	3 1.5	0		_	33	N	оит			Proper cooling meth	ods used; adequate		Γ	Π		
5 X OUT Procedures for responding to vomiting & diarrheal events	1 0.5	0							.).6	equipment for tempe			0.5			_
Good Hygienic Practices .2652, .2653							OUT OUT				ooked for hot holding	_	0.5			
6 OUT Proper eating, tasting, drinking or tobacco use	1 0.5						о)(т		~	Thermometers provi			015			X
7 X out No discharge from eyes, nose, and mouth	1 0.5	0			F	ood	Iden	ntific	atio	n	.2653					
Preventing Contamination by Hands .2652, .2653, .2655, .265 8 X out Hands clean & properly washed	56 4 2	0	<u> </u>		37	X	оит			Food properly labele	d: original container	2	1	0		
9 X out N/AN/O No bare hand contact with RTE foods or pre-				_	Ρ	reve	entio	on of	Foc	od Contamination	.2652, .2653, .2654, .2656, .2	2657	_			
9 A OUT N/AN/O approved alternate procedure properly followed	4 2				38	×	оит			Insects & rodents no animals	t present; no unauthorized	2	1	0		
10 X OUT N/A Handwashing sinks supplied & accessible	2 1	0			-					Contamination preve	ented during food	-	-	-		
Approved Source .2653, .2655 11 X out Food obtained from approved source	2 1	0				M				preparation, storage	& display	2	1	0		
12 NOUT NO Food received at proper temperature	2 1					M				Personal cleanliness Wiping cloths: prope		1	0.10			
13 Xour Food in good condition, safe & unadulterated	2 1	0			- i	X	OUT	N/A		Washing fruits & veg		_	0.5			+
14 IN OUT N/O Required records available: shellstock tags, parasite destruction	2 1	0			I				f Ute	ensils	.2653, .2654	1	0.5		L	
Protection from Contamination .2653, .2654							OUT			In-use utensils: prop		1	0.5	0		—
15 Nour NANO Food separated & protected	3 1.5	0			_		оит			Utensils, equipment	& linens: properly stored,					
16 your Food-contact surfaces: cleaned & sanitized	3 1.5	0			<u> </u>					dried & handled		1	0.5	0		_
17 X out Proper disposition of returned, previously served, reconditioned & unsafe food	2 1	0			45	×	оит			Single-use & single- stored & used	service articles: properly	1	0.5	0		
Potentially Hazardous Food Time/Temperature .2653					46	M	оит			Gloves used properly	у	1	0.5	0		
18 X out N/A N/O Proper cooking time & temperatures 19 IN out N/A X Proper reheating procedures for hot holding	3 1.5 3 1.5				U	tens	sils a	and	Equi	ipment	.2653, .2654, .2663					
20 IN OUT N/ANO Proper cooling time & temperatures	3 1.5			_							on-food contact surfaces					
21 X OUT N/A N/O Proper hot holding temperatures	3 1.5				47	×	оит			approved, cleanable constructed & used	, properly designed,	1	0.5	0		
22 IN OUT NAX Proper cold holding temperatures 23 IN OUT XAVO Proper date marking & disposition	3 1.5 3 1.5				40	×					es: installed, maintained &					
24 IN OUT XINO TIME as a Public Health Control; procedures &		-		_			оит			used; test strips		1				
records	3 1.5	0		_		1	OUT			Non-food contact su		1	0.5	0		
Consumer Advisory .2653		-	<u>г г</u>	_		-	ical F		lities		.2654, .2655, .2656	-			r	
25 IN OUT NA Consumer advisory provided for raw/ undercooked foods	1 0.5	0					OUT OUT				ilable; adequate pressure proper backflow devices	1				+
Highly Susceptible Populations .2653					52	M	OUT			Sewage & wastewat	er properly disposed		1			
26 IN OUT A Pasteurized foods used; prohibited foods not offered	3 1.5	0			53	×	оит	N/A		Toilet facilities: prope & cleaned	erly constructed, supplied	1	0.5	0		
Chemical .2653, .2657					E A	M	оит		\square		operly disposed; facilities	+	+			+
27 IN OUT Food additives: approved & properly used	1 0.5									maintained		1				_
28 X OUT N/A Toxic substances properly identified stored & used	2 1	0					оит		\vdash		talled, maintained & clean ighting requirements;	1	0.5	0		+
Conformance with Approved Procedures .2653, .2654, .2658					56	M	оит			designated areas us		1	0.5	0		
29 IN OUT Reduced oxygen packaging criteria or HACCP plan	2 1	0									TOTAL DEDUCTIONS	: 0	.5	1		

TOTAL DEDUCTIONS: 0.5

vċ North Carolin

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. Page 1 of _____Food Establishment Inspection Report, 12/2023





Comment Addendum to Food Establishment Inspection Report

Establishment Name: PLANNING LLC	
Location Address: 106 SHORT STREET	

City: KERNERSVILLE	State:NC
County: 34 Forsyth	Zip: 27284
Wastewater System: X Municipal/Community	On-Site System
Water Supply: X Municipal/Community	On-Site System
Permittee: PLAIN & SIMPLE CATERI	NG AND EVENT PLANNING

Establishment ID: 3034020925

X Inspection	Re-Inspection	Date: 03/23/2024	

Status Code: A

Comment Addendum Attached? X Category #: III

Email 1:PLAINANDSIMPLECATERING@Gmail.com

Email 2:

Educational Visit

Telephone: (336) 989-6814

Email 3:PLAINANDSIMPLECATERING@AOL.COM

em/Location Temp	Item/Location	Temp	Item/Location	Temp
nbient/walk in 37				
hicken/final cook 174				
chicken /hot hold 143				
quat-ppm/3 comp 200				
vater/" 121				
First	Last			
Person in Charge (Print & Sign):			Ocothereson	
First	Last			
egulatory Authority (Print & Sign): Nora	Sykes			
REHS ID:2664 - Sykes, Nora	Verification Dates: Priority:	Pr	iority Foundation:04/02/2024 Cor	e:
EHS Contact Phone Number: (336) 703-316		horize final r eceived via		

Comment Addendum to Inspection Report

Establishment Name: PLAIN & SIMPLE CATERING AND EVENT PLANNING LLC Establishment ID: 3034020925 Date: 03/23/2024 Time In: 9:10 AM Time Out: 11:10 AM

Certifications							
Name	Certificate #	Туре	Issue Date	Expiration Date			
Scottie Reirson		Food Service		11/12/2024			
Violations c	Obser	rvations and Corre		s 8-405.11 of the food code.			

36 4-302.12 Food Temperature Measuring Devices (Pf)- Thermometer needed with a thin probe tip. The only one available is a dial stem type that measures food at a distance up the probe. Provide an accessible thermometer for use. Provide a thin probe thermometer for accurate measure of thin foods. Verification required by 4/2/24 and photo can be emailed to sykesna@forsyth.cc or texted to number provided to operator.

Additional Comments

During inspection it was noted that two chemicals were stored in dry storage on an unlabeled shelf above the permit holders storage shelf. This causes public health concern for chemical contamination. REHS gave option to relocate Plain and Simple dry storage to top shelf that is empty. Until main permit holder can remedy this issue, Plain and Simple has chosen to discontinue use of their dry storage space and use their speed rack instead. Once violation no longer exists, it is up to their discretion to resume use of dry storage shelving.